

 **TOYOTA HILUX**
oh what a *feeling!*

Toyota HiLux 4x2
Get in or get out of the way



TECHNICAL SPECIFICATIONS HILUX 4x2		SINGLE CAB				EXTRA CAB		DOUBLE CAB			
		Work Mate	SR			SR	SR5	Work Mate	SR		SR5
		Cab Chassis	Cab Chassis		Pickup	Pickup	Pickup	Pickup	Pickup		Pickup
		Petrol	Petrol	Diesel	Petrol	Petrol	Petrol	Petrol	Petrol	Diesel	Petrol
MECHANICALS											
2.7L Twin Cam VVT-i 4 cylinder Petrol engine	S	-	-	-	-	-	S	-	-	-	
4.0L V6 Twin Cam VVT-i Petrol engine	-	S	-	S	S	S	-	S	-	S	
3.0L EDI Twin Cam Turbo Diesel engine	-	-	S	-	-	-	-	-	S	-	
5 Speed Manual Transmission	S	S	S	S	-	-	S	S	S	S	
5 Speed Auto Transmission with AI Shift Control	-	0	-	0	S	S	-	0	-	0	
DIMENSIONS (*1)											
Overall Length (mm)	4975			5130	5130	5255	5130				5255
Overall Width (mm)	1760 (all models)										
Overall Height (mm)	1680				1680		1695				
Wheelbase (mm)	3085			3085		3085					
Track - Front / Rear (mm)	1510			1510		1510					
Ground Clearance (mm)	177										
Overhang - Front	885				885		885				
Overhang - Rear	1005		1160		1160	1285	1160		1285		
Angle of approach	21°				21°		21°				
Angle of Departure	20°				20°	18°	20°		18°		
Tray Length (mm)	-			2315		1805		1520			
Tray Width (mm)	-			1520		1515		1515			
Tray Height (mm)	-			450		450		450			
VEHICLE WEIGHTS & CAPACITIES											
Kerb Weight - Manual (kg) (*2)	1450 ~ 1520	1480 ~ 1525	1560 ~ 1620	1490 ~ 1530	-	-	1535 ~ 1580	1565 ~ 1605	1665 ~ 1680	1570 ~ 1605	
Kerb Weight - Automatic (kg) (*2)	-	1510 ~ 1550	-	1520 ~ 1560	1550 ~ 1585	1550 ~ 1600	-	1595 ~ 1630	-	1595 ~ 1635	
Gross Vehicle Mass (kg)	2820		2875	2820	2740		2710				
Max. front axle capacity (kg)	1125		1125	1125	1200		1200				
Max. rear axle capacity (kg)	1750		1750	1750	1695		1550				
Gross Combined Mass (kg) (*3)	4600					2250					
Towing capacity - with trailer brakes (kg) (*4)	750					750					
Towing capacity - without trailer brakes (kg) (*4)	750										
Seating capacity - including driver - Manual trans	3	3	3	3	-	-	6	5	5	5	
Seating capacity - including driver - Auto trans	-	2	-	2	4	4	-	5	-	5	
Fuel tank capacity (litres)	76										
STEERING											
Type	Power Assisted Rack and Pinion										
Turning Circle	11.8										
BRAKES											
System	Vacuum boosted hydraulic system										
Front	Ventilated disc brakes										
Rear	Self adjusting drum										
Anti-Skid Brakes	Option					Standard	Option (*13)	Option		Standard	
SUSPENSION											
Type	Front	Double wishbone type with coil springs, gas filled shock absorbers and stabiliser bar									
	Rear	Leaf spring type rigid axle with gas filled shock absorbers									
WHEELS											
Tyres	195R14C	205/70R15C	195R14C	205/70R15C	205/70R15C	205/70R15C	195R14C	205/70R15C	195R14C	205/70R15C	
Wheels	5.5Jx14 steel	6.0Jx15 steel	5.5Jx14 steel	6.0Jx15 steel	6.0Jx15 steel	6.0Jx15 alloy	5.5Jx14 steel	6.0Jx15 steel	5.5Jx14 steel	6.0Jx15 alloy	
ENGINE											
4 CYLINDER PETROL				V6 PETROL				TURBO DIESEL			
Name	2TR-FE			1GR-FE				1KD-FTV			
Type	4 Cylinder in-line DOHC with 4 valves per cylinder with variable valve intake timing (VVT-i)			V6 DOHC with 4 valves per cylinder with variable valve intake timing (VVT-i)				4 Cylinder in-line DOHC with 4 valves per cylinder, intercooler and electronic direct injection			
Fuel System	Electronic Fuel Injection			Electronic Fuel Injection				Electronic Direct Injection, Common Rail			
Fuel Type	Unleaded Petrol			Unleaded Petrol (*12)				Diesel			
Displacement (cc)	2694			3956				2982			
Bore and Stroke (mm)	95.0 x 95.0			94.0 x 95.0				96.0 x 103.0			
Compression Ratio	9.6:1			10.0:1				17.9:1			
Max. Power (kW/rpm) (*5)	118 / 5200			175/5200				120 / 3400			
Max. Torque (Nm/rpm) (*5)	241 / 3800			376 / 3800 (auto) 343 / 2400-4800 (manual)				343 / 1400-3200			
DRIVETRAIN											
		5 Speed Manual Transmission			5 Speed Manual		5 Speed Automatic		5 Speed Manual Transmission		
Gear Ratios	1st gear	3.830			3.830		3.520		4.313		
	2nd gear	2.062			2.062		2.042		2.330		
	3rd gear	1.436			1.436		1.400		1.436		
	4th gear	1.000			1.000		1.000		1.000		
	5th gear	0.838			0.838		0.716		0.838		
	Reverse gear	4.220			4.220		3.224		4.220		
Differential ratio	4.100			3.583		3.583		3.583			
FUEL ECONOMY (*6)											
		4 CYLINDER PETROL			V6 PETROL			TURBO DIESEL			
		Single Cab	Double Cab		Single Cab	Extra Cab	Double Cab	Single Cab	Double Cab		
		Cab Chassis	Pickup		Cab Chassis	Pickup	Pickup	Pickup	Cab Chassis	Pickup	
ADR 81/01 Combined (L/100km)	Manual	11.2	11.0		13.0	12.5	-	12.6	8.6	8.6	
	Automatic	-	-		12.3	11.7	11.8	11.8	-	-	


IMPORTANT NOTICE - PLEASE READ

You MUST check all information with your authorised Toyota Dealer prior to placing your order to ensure the vehicle you want is available. Toyota Australia has used every reasonable endeavour to ensure that the information in this brochure is correct at the time of publication. However, because the availability of vehicles with certain specifications, equipment and colours may vary from time to time you should not rely on this brochure but should contact your authorised Toyota Dealer to confirm that the information in this brochure is up to date. When ordering a vehicle, you should check with your Toyota Dealer to ensure that your chosen vehicle specifications, equipment and colour are available and that the desired vehicle can be delivered in a time frame which is suitable to you. Toyota Australia may alter any details contained in this brochure at any time, and to the extent allowed by law Toyota Australia will not be liable for any reliance you place upon this brochure. Colours shown in this brochure may vary from actual colours due to the printing process. Distributed nationally by Toyota Motor Corporation Australia Limited ACN 009 686 097, ABN 64 009 686 097, Corner Captain Cook Drive and Gannons Road, Caringbah NSW 2229. Part No.HILUX2WD0106SV. Printed JANUARY 2006.

FEATURES	Single Cab		Extra Cab		Double Cab		
	Work Mate	SR	SR	SR5	Work Mate	SR	SR5
EXTERIOR							
Black polypropylene front bumper	S	S	S	-	S	S	-
Body Colour front bumper	-	-	-	S	-	-	S
Chrome step type rear bumper	-	-	-	S	-	-	S
Step type rear bumper	-	-	-	-	0 (*13)	-	-
Body Colour radiator grille	-	-	-	S	-	-	S
Multi-reflector headlights	S	S	S	S	S	S	S
Laminated windscreen	S	S	S	S	S	S	S
Tinted side windows	S	S	S	S	S	S	S
14" Steel wheels with centre ornaments	S	S (*7)	-	-	S	S (*7)	-
15" Steel wheels with centre ornaments	-	S (*8)	-	-	-	S (*8)	-
15" Alloy wheels (4)	-	-	-	S	-	-	S
Deck guard frame with stopper	-	Pickup	S	S	S	S	S
Alloy Sports bar	-	-	-	S	-	-	S
Chrome door handles & mirrors	-	-	-	S	-	-	S
Front only mudflaps	S	C/C	-	-	-	-	-
Front & Rear mudflaps	-	Pickup	S	S	S	S	S
Metallic paint	0	0	0	0	0	0	0
Touch-up paint	S	S	S	S	S	S	S
INTERIOR							
Vinyl seat trim	S	-	-	-	S	-	-
Cloth facing seat trim	-	S	S	-	-	S	-
Full cloth seat trim	-	-	-	S	-	-	S
Moulded front door trims	S	-	-	-	S	-	-
Moulded front door trims with cloth inserts	-	S	S	S	-	S	S
Durable vinyl floor covering	S	S	-	-	-	-	-
Floor carpet	-	-	S	S	S	S	S
Seating							
Driver's bucket seat	S	S	S	S	S	S	S
Front bench passenger seat	S	S (*10)	-	-	S	-	-
Front passenger bucket seat	-	S (*9)	S	S	-	S	S
2 person capacity rear jump seat	-	-	S	S	-	-	-
3 person capacity rear seat	-	-	-	-	S	S	S
FEATURES							
Air conditioning - single type	0	0	0	S	0	0	S
Rotary type heater controls	S	S	S	S	S	S	S
Power front windows	-	S	S	S	-	-	-
Power front and rear windows	-	-	-	-	-	S	S
Driver's auto down window	-	S	S	S	-	S	S
Instruments and controls							
Power steering	S	S	S	S	S	S	S
Tilt adjustable steering column	S	S	S	S	S	S	S
Cruise Control (*9)	-	-	-	S	-	-	S
Optitron combination meter	-	-	-	S	-	-	S
Multi Information Display including trip computer	-	-	-	S	-	-	S
Power mirrors	-	-	-	S	-	-	S
Day/night interior mirror	S	S	S	S	S	S	S
Power accessory socket	-	-	-	S	-	-	S
Variable intermittent windscreen wipers	-	S	S	S	-	S	S
Rear window demister	-	-	S	S	S	S	S
Automatic transmission indicator in dash	-	-	-	S (*9)	-	-	S (*9)
Automatic transmission shift interlock	-	S (*9)	S (*9)	S (*9)	-	S (*9)	S (*9)
Headlights on - audible warning	S	S	S	S	S	S	S
Trip meter	S	S	S	S	S	S	S
Low fuel warning light	S	S	S	S	S	S	S
Digital clock in dashboard	S	S	S	S	S	S	S
Lighting							
Door operated dome lamp	S	S	S	S	S	S	S
Illuminated ignition switch	-	S	S	S	-	S	S
Storage							
Large glovebox	S	S	S	S	S	S	S
Front Cupholder - in dash (RH side of steering wheel)	S	S	S	S	S	S	S
Front Cupholders - in centre console	-	S (*9)	S	S	-	S	S
Rear Cupholders - in centre console	-	-	-	-	-	S	S
Drink/bottle holders - in front doors	S	S	S	S	S	S	S
Drink/bottle holders - in rear doors	-	-	-	-	S	S	S
Front door pockets	S	S	S	S	S	S	S
Centre dashboard storage	S	S	S	S	S	S	S
Centre console box with lid	-	S (*9)	S	S	-	S	S
Front ashtray and cigarette lighter	S	S	S	S	S	S	S

FEATURES	Single Cab		Extra Cab		Double Cab		
	Work Mate	SR	SR	SR5	Work Mate	SR	SR5
FEATURES cont.							
Audio							
AM/FM radio with single disc CD player	S	-	-	-	S	-	-
AM/FM radio with MP3 compatible single disc CD player	-	S	S	-	-	S	-
AM/FM radio with MP3 compatible 6 disc in-dash CD changer	-	-	-	S	-	-	S
Number of speakers	2	2	2	4	2	2	4
Manual antenna in A-Pillar	S	S	S	S	S	S	S
Security coded radio	S	S	S	S	S	S	S
SAFETY							
Anti-Skid Brakes	0	0	0	S	0 (*13)	0	S
Driver and front passenger SRS airbags	S	S	S	S	S	S	S
Driver's seatbelt warning lamp	S	S	S	S	S	S	S
Driver's pre-tensioner seatbelt	S	S	S	S	S	S	S
Front passenger pre-tensioner seatbelt (*11)	S	S	S	S	S	S	S
Front centre seat lap seatbelt	S	S (*10)	-	-	S	-	-
Lap/sash seatbelts for rear outer seating positions	-	-	-	S	S	S	S
Lap type seat belt for rear centre seat position	-	-	-	-	S	S	S
Door ajar warning light	S	S	S	S	S	S	S
High mount centre rear stop lamp	-	Pickup	S	S	S	S	S
Front door anti-intrusion beams	S	S	S	S	S	S	S
Collapsible steering column	S	S	S	S	S	S	S
SECURITY							
Engine immobiliser	S	S	S	S	S	S	S
Power door locks	-	S	S	S	-	S	S
Remote keyless entry	-	S	S	S	-	S	S
Lockable Glovebox	S	S	S	S	S	S	S
Remote fuel door release	-	Pickup	S	S	S	S	S
Fuel cap holder tether	-	Pickup	S	S	S	S	S
Locking fuel cap	S	C/C	-	-	-	-	-
ACCESSORIES - Dealer fit, available at extra cost							
Towbar with & without Rear Step 2250 kg braked)	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Towbar 1200 kg (braked)	D/F	D/F	D/F	-	D/F	D/F	-
Sports Bar - Alloy (standard on SR5) - Pickup Only	-	-	D/F	S	D/F	D/F	S
Steel Bull Bar Overbumper Style - Airbag compatible	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Alloy Nudge Bar - Airbag compatible	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Driving Lights (for fitment to Bull and Nudge Bars)	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Traybodies - Alloy and Steel, wide range of options	D/F*	D/F	D/F	D/F	D/F	D/F	D/F
Hard Tonneau Cover (colour matched) - Pickup Only	-	-	D/F	D/F	-	-	D/F
Soft Tonneau Cover - Pickup Only	-	-	D/F	D/F	D/F	D/F	D/F
Roof Racks - 2 bar set	-	-	-	-	D/F	D/F	D/F
Bonnet Protector, Headlight Covers and Weathershields	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Fabric Seat Covers	D/F	D/F	D/F	D/F	D/F	D/F	D/F
Canvas Seat Covers	D/F	D/F	D/F	-	D/F	D/F	-
High and Low Roof Canopy - Pickup Only	-	-	-	-	-	-	D/F
Ute Liner - Pickup Only	-	-	-	-	-	-	D/F
All Weather Rubber Floor Mats	D/F	D/F	D/F	D/F	D/F	D/F	D/F
All Weather Rubber Ute Mat	-	D/F	D/F	D/F	D/F	D/F	D/F
6 in-dash MP3 Compatible CD Changer & Radio	D/F*	D/F*	D/F*	S	D/F*	D/F*	S
Satellite Navigation Audio System - incl. 4 in-dash MP3 Compatible CD Changer & Radio	D/F*	D/F*	D/F*	D/F*	D/F*	D/F*	D/F*
Key							
S = Standard, - = Not available, 0 = Option, available at extra cost, O/P = Option pack, available at extra cost.							
D/F = Dealer fit option, available at extra cost, D/F* = Must be selected at time of new vehicle purchase.							
Pickup = Standard on Pickup models, C/C = Standard on Cab Chassis models.							
Note: Options may only be available in combination with others, please see your dealer for details.							
Options - Available at extra cost							
*1 = Some figures are approximate and may vary due to options and accessory fitment.							
*2 = Kerb weights are nominal and will vary depending on options and accessories.							
*3 = Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo.							
*4 = Towing capacities are subject to state regulations and towbar design.							
*5 = Power and torque test standards differ. Ensure comparisons use same test standard. V6 engine based on 95+ RON.							
*6 = Fuel economy varies with driving conditions and style, vehicle condition, options and accessories.							
*7 = Turbo Diesel engine only.							
*8 = 4.0 litre V6 Petrol Engine only.							
*9 = Automatic transmission model only.							
*10 = Manual transmission model only.							
*11 = Not fitted to front centre lap seatbelt.							
*12 = RON 91 or higher. For improved vehicle performance, the use of premium unleaded petrol with a RON of 95 or higher is recommended.							
*13 = Anti-Skid Brakes (ABS) is available only in combination with step type rear bumper.							

HiLux colour guide

		Availability			
		Mica/ Metallic Paint	Work Mate	SR 4x2	SR5 4x2
Glacier White (040)		X	✓	✓	✓
Sterling Silver (1C0)*		✓	✓	✓	✓
Ink (209)*		✓	✓	✓	✓
Cerise (3Q2)*		✓	✓	✓	✓
Dusty Grey (4P9)*		✓	✓	✓	✓
Green Mist (6S0)*		✓	✓	✓	✓
Green Aspen (6S3)*		✓	✓	✓	✓
Bishop Blue (8P1)*		✓	X	X	✓

Note: variations between the colours shown and actual paint colours may occur due to the printing process. Actual vehicle colours may appear different under certain light conditions. Model shown for illustrative purposes only. Other models may have different specifications, please refer to your dealer for details, including interior trim colour. *Indicates mica or metallic paint which is available at extra cost.